At-Home Treatments for Common Health Conditions of People with Down Syndrome

Brian Chicoine, MD

Medical Director, Advocate Medical Group Adult Down Syndrome Center Faculty, Advocate Lutheran General Hospital Family Medicine Residency September 13, 2023






Please note:

- This webinar is intended for families, caregivers, health care professionals, and service providers of individuals with Down syndrome.
- The information in this webinar is provided for educational purposes only and is not intended to serve as a substitute for a medical, psychiatric, mental health, or behavioral evaluation, diagnosis, or treatment plan by a qualified professional.
- We recommend that you bring specific questions about an individual with Down syndrome to their medical and/or therapy providers.

Objectives

- Describe common health conditions in adolescents and adults with Down syndrome.
- Share at-home treatments for addressing health conditions.
- Discuss when to consult a health care provider about a health condition.

Resource Library



https://adscresources.advocatehealth.com/

Ear wax build up (cerumen impaction)

Ear wax build up

Signs and symptoms

- Sensation of ear fullness
- Hearing loss
- Ringing in the ears (tinnitus)
- Ear pain
- Dizziness
- Ear drainage or odor

- More common
 - Small, curved ear canals
 - Dry skin
- May not report symptoms
- May observe other symptoms
 - Change in behavior
 - Not paying attention
 - Not following directions
 - Losing skills

Ear wax build up

Speak to your health care provider before using at-home treatments for earwax if you have a hole (perforation) or tube in your eardrum.

It is generally recommended to NOT put any liquid in an ear with a hole or tube.

Ear wax build up

At-home treatments

- Over-the-counter ear drops with carbamide peroxide (e.g., Debrox)
- Baby oil, almond oil, mineral oil, olive oil, or diluted hydrogen peroxide
 - 3-4 drops, 2 times per week
- Cotton swabs on outside part of ear

- Eardrum has a tube or perforation (hole)
- At-home treatments are unsuccessful

Toenail fungus (onychomycosis)

Toenail fungus

Signs and symptoms

- Yellow to white discoloration of the nail
- Thick and brittle nails
- Splitting of the nails
- Separation of the nail from underlying skin
- Pain

- More common
 - Immune system, dry skin, self-care, venous insufficiency, obesity, hallux valgus (bunions), poor-fitting shoes
- May not report symptoms
- May observe other symptoms
 - Change in behavior

Toenail fungus

At-home treatments

- Proper foot hygiene
 - Wash and dry feet
 - Trim toenails
- Diet
- Topical treatments, wrap with gauze
 - Vicks VapoRub, tea tree oil, vinegar
 - Ketoconazole, econazole, clotrimazole

- To confirm diagnosis
- At-home treatments are unsuccessful
- Nail care not possible at home
- Pain

Constipation

Constipation

Signs and symptoms

- Infrequent bowel movements (fewer than 3 per week)
- Hard, lumpy, difficult to pass stools
- Bloating, abdominal discomfort
- Straining, bleeding, and/or pain with pooping
- Feeling of incomplete emptying
- Stool incontinence (accidents)
- Urine incontinence
- Urinary tract infections

- More common
- May not report symptoms
- May observe other symptoms
 - Change in behavior
- Insufficient fluid intake



Constipation

At-home treatments

- Eat more fiber such as fruits, vegetables, and whole grains
- Drink more fluids
- Increase physical activity
- Fiber supplements
- Stool softeners

- At-home treatments are unsuccessful
- Pain
- Increasing pain and vomiting go to the emergency room

Signs and symptoms


- Redness
- Flaking
- Itching
- Cracking
- Often worse in very cold/hot and dry weather conditions

- More common
- Generally, not a serious problem but can be quite bothersome

At-home treatments

- Liberal use of moisturizing cream or ointment (instead of lotion)
 - 3-4 times per day may be needed
 - Contain alpha hydroxy acids (helps remove loose layers of dry skin)
 - Vaseline, Lubriderm, Eucerin, Udderly Smooth, and many others
- Apply right after shower or bath when skin is moist
- Cotton gloves or socks





At-home treatments

- Mild soaps (e.g., Lever 2000, Dove, Dial with moisturizers, Cerave, etc.)
- Decrease frequency, length, and temperature of showers
- Change socks midday
- Avoid exposure to very cold/hot and dry air
- Humidifier
- Good hydration
- Sunscreen

- An infection develops
- At-home treatments are unsuccessful

Chronic cough

Chronic cough

Signs and symptoms

- A cough that lasts longer than 8 weeks (4 weeks in a child)
- Many possible causes

- More common
 - Craniofacial features
 - Adeno-tonsillar hypertrophy
 - Airway size
 - Low tone
 - Obesity
 - Chronic vasomotor rhinitis

Chronic cough

At-home treatments

- oral hydration
- Avoid possible irritants
- Cough suppressant (e.g., throat lozenge, tea and honey, guaifenesin and dextromethorphan)
- Over-the-counter nasal sprays (e.g., fluticasone, mometasone)
- Nasal saline drops or rinses
- Allergy medications (e.g., loratadine, fexofenadine)
- Medication to "thin" the secretions (e.g., guaifenesin)

- At-home treatments are unsuccessful
- Weight loss without effort
- Coughing up blood or phlegm
- Wheezing or shortness of breath
- Hoarseness that doesn't go away
- A drenching overnight sweat

Gastroesophageal reflux disease (GERD)

GERD

Signs and symptoms


- Pain in the chest or upper stomach
- Chronic cough
- Regurgitation (food traveling back up into the mouth)
- Sore throat
- Sour taste
- Hoarse voice

- Sphincter tone
- Obesity
- Sleep apnea
- Dietary habits
- Not reporting milder, chronic symptoms
- Poor sleep

GERD

At-home treatments

- Eat smaller meals
- Eat more slowly
- Lose weight
- Do not eat 3-4 hours before laying down or going to sleep
- Elevate the head of the bed with a riser or blocks
- Over-the-counter medications (e.g., Tums, Rolaids, Maalox)
- H-2 blockers, PPI's



- Things to avoid:
 - Fatty, spicy, and citrus foods
 - Caffeinated or carbonated beverages
 - Medications that can make GERD worse (e.g., ibuprofen)
 - Wearing clothing that is tight around the abdomen

GERD

- At-home treatments are unsuccessful
- Weight loss
- Recurrent vomiting
- Difficulty or pain with swallowing

Signs and symptoms


- Weakness
- Dry skin
- Increased tiredness
- Increased sensitivity to cold temperatures
- Weight gain
- Coarse hair
- Change in cognitive function
- Change in menstruation
- Mood change

- More common
- Many of the symptoms are already present in people with DS
- May not report symptoms
- May observe other symptoms
 - Change in behavior



At-home treatments

- Taking medication consistently and correctly
- Consider zinc supplement



- Screening recommended every 1-2 years
- Symptoms suggestive of hypothyroidism
- Recurrence of symptoms
- Symptoms of hyperthyroidism (e.g., anxiety, agitation, diarrhea, tremor, fast heartbeat, etc.)


Signs and symptoms

- Cough
- Fever
- Shortness of breath
- Weakness
- Chest pain

- More common
 - Immunity
 - GERD
 - Sleep apnea
 - Swallowing

At-home treatments

- Cough suppressants for mild symptoms
- Prevention
 - Slowing down when eating
 - Good handwashing
 - Vitamin and mineral supplements?
 - Multivitamin, vitamin C, zinc
 - Dental hygiene and care
 - Treat GERD
 - Treat sleep apnea



- Persistent mild symptoms
- Increasing symptoms
- High fever
- Go to the emergency room if difficulty breathing
- Prevention
 - Immunizations

Blepharitis

Blepharitis

Signs and symptoms

- Inflammation or infection of the eyelids
- Redness of the eyelids
- Sticky secretions on eyelids or eyelashes
- Sometimes associated with conjunctivitis (pink eye/redness of the white part of the eye)

- More common
 - Bacterial infection
 - Acne rosacea
 - Seborrhea
 - Autoimmune

Blepharitis

At-home treatments

- Keep hands away from eyes
- Warm compresses
- Light scrubbing
 - Half water, half baby shampoo
 - Over-the-counter eye scrubs
- Change pillowcase regularly
- Treat associated conditions
- Ongoing preventative measures

- Persistent symptoms or irritation
- Conjunctivitis
- Increasing redness or swelling
- Pain

Resources

DSMIG-USA

- <u>Down Syndrome</u>
 <u>Medical Interest Group</u>
 - Membership
 - Speaker Series
 - Project ECHO





Agitated or Challenging Behavior in People with DS and Alzheimer's Disease

<u>Cerumen Impaction</u> (earwax)

Chronic Cough

Constipation

Does TSH Tell the Whole Story?

Down Syndrome EyeWiki

DS and Hidradenitis Suppurativa

Gastroesophageal Reflux Disease

Hypothyroidism

Onychomycosis (fungal infection of the nails)

Pneumococcal Vaccines

Recurrent Pneumonia

<u>Tips for Cutting Fingernails and</u> Toenails

Use of Probiotics

Vision in Adults with DS



Videos and visuals

Activities of Daily Living Videos

Healthy Pace for Eating Video and Visuals

How to Wash Your Hands Video

Skin Care Visual

Taking My Thyroid Medication Visual

Tips for Dealing with Dry Skin Video

Visuals for Medical Appointments



Webinars and podcasts

Aging and Alzheimer's Disease in Adults with DS Webinar

Behavior Changes in Individuals with DS Webinar

Decline in Skills and Regression in Adolescents & Adults with DS Webinar

Skin Conditions in DS Podcast Episodes





Resource lists by topic

Alzheimer's Disease and Dementia

Decline in Skills and Regression

Nutrition and Weight

Self-Care and Hygiene

Sensory

Skin and Hair

<u>Sleep</u>

Questions?

Find resources: adscresources.advocatehealth.com

Like us on Facebook: facebook.com/adultdownsyndromecenter

Sign up for our email newsletter: eepurl.com/c7uV1v

Support our mission: advocategiving.org/adsc

